REFERENCES

1. Akram E, Pejman M, Maryam B, Jalal Z (2012) Hepatoprotective activity of *Cinnamon* ethanolic extract against CCl4-induced liver injury in rats, EXCLI Journal;11:495-507.
2. Ankur R, Shahjad AL(2012) Alloxan induced diabetes: mechanisms and effects, vol. 3 (2), www.ijrpbsonline.com
3. Ansar M. Patel, (2010), Formulation and evaluation of proprietary polyherbal Antidiabetic activity of a polyherbal formulation (DIABET). IJPSR,2010,2(1):18-22
4. Anwar M. Ph D. Thesis. Karachi, Pakistan: Faculty of Pharmacy, University of Karachi; 2006. The pharmacognostic and pharmacological studies on medicinal valued herbal drugs, *Erythrina variegata* Var. *Orientalis, Matricaria chamommilla, Psoralea corylifolia* and *Chenopodium album*.
5. Bano, B. Kaleem, sheema, h. Sarmad B (2005). Protective effects of piper nigrum and vinca rosea in alloxan induced diabetic rats. Indian J Physiol Pharmacol ; 49 (1): 65–7
6. Cui L, Thuong PT, Fomum ZT, Oh WK (2009). A new erythrinan alkaloid from the seed of *Erythrina addisoniae*. Arch Pharm Res; 32:325–8. [PubMed]
7. Rukachaisirikul T, Saekee A, Tharibun C, Watkuolham S, Suksamrarn A(2007). Biological activities of the chemical constituents of *Erythrina stricta* and *Erythrina subumbrans*. Arch Pharm Res; 30:1398–403. [PubMed]
8. Samaresh D, Susmita D, S. S. Nayak and Subas Chandra Dinda(2013): Hepatoprotective activity of Cyperus articulatus Linn.against paracetamol induced hepatotoxicity in rats. JCPR, 5(1):314-31.
9. Shafiuddin, abdullah khan and sadath ali (2009), Evaluation Of Hepatoprotective Activity of traditional herbal formulation. Int. J. Chem. Sci.: 7(2), 617-624.
10. Sokeng, S.D., Rokeya, B., Mostafa, M., Nahar, N., Mosihuzzaman, M., Ali, L., Kamtchouing. P.(2005) **Antihyperglycemic effect of *bridelia ndellensis* ethanol extract and fractions in streptozotocin-induced diabetic rats.** *African Journal. Traditional, Complementary and Alternative Medicines Vol. 2, Num. 2, pp. 94-102*
11. Singh Ayodhya, Singh Kusum , Saxena Anjali(2010). Hypoglycaemic activity of different extracts of various herbal plants, IJRAP , 1 (1) 212-224.
12. Sivalingam G. and Sriram, N (2013) Anti-diabetic activity of *ribes nigrum* fruit extract in alloxan induced diabetic rats. IJPSR, ; vol. 4(3): 1196-1201

13. Sokeng, S.D., Rokeya, B., Mostafa, M., Nahar, N., Mosihuzzaman, M., Ali, L., Kamtchouing. P.(2005) **Antihyperglycemic effect of *bridelia ndellensis* ethanol extract and fractions in streptozotocin-induced diabetic rats.** *African Journal. Traditional, Complementary and Alternative Medicines Vol. 2, Num. 2, pp. 94-102*

14. Thirumalai T., David E., Therasa S.V. and Elumalai E.K.,(2011)Restorative effect of *Eclipta alba* in CCl4 inducedhepatotoxicity in male albino rats, *APJTD*, 1(4), 304-307 .
15. Thurmond RL, Gelfand EW, Dunford PJ(2008) The role of histamine H1 and H4 receptors in allergic inflammation: the search for new antihistamines. *Nat Rev Drug Discov* ;7:41– 53.
16. Ujah O. F., Ujah I. R., Johnson J. T., Ekam V. S. and Udenze E. C. C.(2013). Hepatoprotective property of ethanolic leaf extract of Moringa oleifera on carbon tetrachloride (CCl4) induced hepatotoxicity. J. Nat. Prod. Plant Resource., 3 (2):15-22 .
17. Umamaheswari S, Leena DJ, Srikanth J, Lavanya R, Chamundeeswari D, Uma CMR, Velayudam, Arul A., and Ilavarasan.(2004), Hepatoprotective activity of Kadukkai Maathirai (A Siddha Polyherbal Formulation) against carbon tetrachloride induced liver damage in rats, research journal of pharmaceutical sciences; 1(4), 17-21.
18. Verma, R.S., Rahman L., Verma, R.K Chauhan, A. Yadav A.K and A. Singh, Essential Oil Composition of Menthol Mint (Mentha arvensis) and Peppermint (Mentha piperita) Cultivars at Different Stages of Plant Growth from Kumaon Region of Western Himalaya. Open Access Journal of Medicinal and Aromatic Plants Vol. 1(1): 13-18.Vol.2, No.1, pp 305-309,
19. Vyas Bhavin A, Vyas Ruchi B , Joshi Shrikant V , Shah Payal D , Santani Dev D, 2011. Effect of aqueous extract of Pergularia daemia on urine production. Der Pharmacia Lettre,: 3 (4)207-214.
20. Warrier P. K, Nambiar V. P, Ramankutty C, editors.(1994) Indian medicinal plants a compendium of 500 species. 1st ed. Hyderabad: Orient Longman Limited; Anonymous; p. 1994.
21. Yahya,Y., Mamat, S. S., Kamarolzaman, M. F. F., Seyedan, A. A., Jakius, K. F. (2013) Hepatoprotective Activity of Methanolic Extract of Bauhinia purpurea Leaves against Paracetamol-Induced Hepatic Damage in Rats Volume 2013 Article ID 636580, 10 pages.

22. Yasodamma, N., Shanthi S., Alekhya.(2013) Antidiabetic activity of *Sebastiania chamaelea Muell.* leaf extracts in alloxan induced diabetic albino rats. Vol 5, Issue 3,
23. Zuberbier T, Asero R, Bindslev-Jensen C.(2009) EAACI/GA2LEN/EDF/WAO guideline: definition, classification and diagnosis of urticaria. *Allergy.* ;64:1418 – 1426.